enlarging on this ſubject, till another time; and conclude with aſſuring you of the moſt perfect eſteem, with which I have the honour to be,

Dear Sir,

Your moſt obedient,

humble ſervant,

Joſeph Gaertner, M. D.

XIV. *A Catalogue of the* Fifty Plants *from* Chelſea Garden, *preſented to the* Royal Society *by the worſhipful Company of Apothecaries, for the Year* 1760, *purſuant to the Direction of Sir* Hans Sloane, *Baronet, Med. Reg. & Soc. Reg. nuper Præſes, by* John Wilmer, *M. D. clariſſ. Societatis Pharmaceut.* Lond. *Socius, Hort.* Chelſean. *Præfectus & Prælector. Botanic.*

Read Feb. 19, 1761. 1901 ALCEA vulgaris major, flore ex rubro roſeo. C. B. 316.

1902 Andromeda pedunculis aggregatis, corollis cylindricis, foliis alternis ovatis integerrimis. Linn. Spec. Plant. 293.

1903 Ariſtolochia longa vera. C. B. 107. Offic. 47.

1904 Aſclepias foliis revolutis linearibus verticillatis, caule erecto. Linn. Sp. 217.

1905 Aſphodelus foliis planis, caule ramoſo, floribus ſparſis. Dict. Hort. Icon.

1906

1906 Baſteria foliis ovatis oppoſitis, floribus lateralibus, caule fruticoſo ramoſo. Dict. Hort.

1907 Camphoroſma foliis hirſutis linearibus. Amænit. Acad. Sp. 392.
Camphorata hirſuta. C. B. P. 486.

1908 Cardiaca. J. B. 3. 56.
Marrubium Cardiaca dictum. C. B. 230. Offic. 104.

1909 Cedrus folio cupreſſi, media, majoribus baccis. C. B. P. 487.
Cedrus Phœnicia, altera Plinii et Theophraſti. Lobel. 221.

1910 Ciſtus arboreſcens foliis ovato lanceolatis acuminatis trinerviis ſeſſilibus utrinque villoſis.

1911 Coronilla fruticoſa ſtipulis ſubrotundis. Linn. Sp. Pl. 743.

1912 Coronopus ſylveſtris hirſutior. C. B. 190. Offic. 147.

1913 Damaſonium ſtellatum. Lugd. 1058.
Plantago aquatica ſtellata. C. B. 190.

1914 Filix mas non ramoſa dentata. C. B. 358.

1915 Galeopſis paluſtris Betonicæ folio. Tourn. Panax Coloni Officin. 341.

1916 Gentiana paluſtris anguſtifolia. C. B. 188.
Pneumonanthe. Ger. 355.

1917 Gundelia foliis pinnatifidis ſpinoſis, capite araneoſa lanugine obſita. Miller's Icons.

1918 Helleborine latifolia montana. C. B. P. 186.

1919 Hibiſcus foliis inferioribus trilobis, ſummis quinque partitis obtuſis crenatis, calycibus inflatis. Dict. Hort.

1920 Kalmia foliis lanceolatis corymbis lateralibus. Linn. Gen. nov. 1079.

1921 Lycium foliis cordato-ovatis ſeſſilibus oppoſitis perennantibus, ſpinis craſſis bigeminis, floribus confertis. Dict. Hort.

1922 Lycopodium Sabinæ facie. Fl. Jenenſ. 328.
Muſcus clavatus foliis cupreſſi. C. B. 360.

1923 Lyguſticum quod Seſeli Offic. C. B. 162. Offic. 452.
Siler montanum major. Mor. Umb. 7. 8.

1924 Lyſimachia ſpecioſa quibuſdam onagra dicta ſiliquoſa. J. B. 2. 906.
Chamenerion flore Delphinii. Park. Par. 270.

1925 Malva caule erecto herbaceo, foliis lobatis, ſpicis ſecundis axillaribus. Linn. Sp. 688.

1926 Magnolia foliis ovato-lanceolatis ſubtus glaucis annuis. Dict. Hort.

1927 Meſpilus Cretica folio circinato et quaſi cordiformi. T. Cor. 43.
Chamæceraſus Idæa, Alpini Exotic. 5.

1928 Meſpilus folio ſubrotundo, fructo rubro. Tourn. 642.

1929 Milium ſemine luteo vel albo. C. B. 26. Offic. 317.

1930 Morus foliis palmatis, fructibus hiſpidis. Linn. Sp. Pl. 986.
Morus ſativa foliis urticæ mortuæ, cortice papyrifera. Kempf. Amæn. 471.

1931 Narciſſus ſpatha uniflora nectario maximo limbo fimbriato petalo longiore.

1932 Narciſſus ſpatha uniflora nectarii limbo campanulato erecto petalo æquali. Linn. Sp. 289.

1933 Naſturtium ſupinum capſulis verrucoſis. Ray Method. emendata, 98.
Coronopus Ruellii. Ger. 346. Offic. 343.

1934

1934 Ornithopodium radice nodoſa. Park. 1093.
1935 Panicum Germanicum ſive panicula minore. C. B. 27. Offic. 343.
1936 Pimpinella ſanguiſorba minor. C. B. 160. Offic. 366.
1937 Polypodium vulgare. C. B. 359.
Polypodium quercinum. Offic. 379.
1938 Ranunculus ceratophyllus, ſeminibus falcatis in ſpicam adactis. Mor. Hiſt. 2. 440.
1939 Rhus foliis ternatis lineari-lanceolatis, integerrimis petiolatis utrinque glabris.
1940 Salvia foliis cordatis obtuſis crenatis ſubtomentoſis, corollis calyce anguſtioribus. Linn. Sp. Pl. 25.
1941 Scordium alterum, ſive Salvia ſylveſtris.
Scorodonia. Offic. 438. C. B. 247.
1942 Scrophularia major. Park. 610.
Scrophularia nodoſa fœtida. C. B. P. 235. Offic. 440.
1943 Scrophularia aquatica major. C. B. P. 235.
Betonica aquatica. Ger. 579. Offic. 441.
1944 Solanum caule inermi ſubfruticoſo, foliis oblongo ovatis ſinuatis utrinque glabris floribus alaribus. Miller's Icons.
1945 Siſarum Germanorum. C. B. 155. Off. 456.
1946 Sium arvenſe ſive ſegetum. Tourn. 308.
Selinum Si foliis. Ger. emac. 1018.
1947 Tormentilla ſylveſtris. C. B. 326. Off. 489.
1948 Valeriana floribus tetrandis æqualibus, foliis pinnatifidis, ſeminibus palea ovali adnatis. Hort. Upſal. 13.
1949 Veratrum flore ſubviridi. Tourn. 272. Offic. 226.

1950

1950 Viburnum foliis ovatis acuminatis ſerratis venoſis, petiolis lævibus.

XV. *An Account of the* Cicuta, *recommended by Dr.* Storke; *by* William Watſon, *M. D. F. R. S.*

To the Royal Society.

Gentlemen,

Read Feb. 17, 1761. IN a paper I lately laid before you, I endeavoured to demonſtrate, that the Cicuta major, which, ſince the publication of Dr. Storke's work at Vienna, had been uſed medicinally in England, was the plant intended by that gentleman; and not the Cicuta aquatica, as had been ſuggeſted by ſome practitioners here. And Dr. Storke has removed every doubt, which could remain, by tranſmitting hither to Mr. Hudſon, a very ingenious apothecary and botaniſt, ſome leaves of the Cicuta major, or common hemlock, which grew at Vienna, and is of the ſame ſpecies with the plant ſo denominated here.

As Dr. Storke informs us, that, ſince the publication of his treatiſe, he has received letters from almoſt every part of Europe, confirming his good opinion of the virtues of the Cicuta, and as he is about to publiſh a ſecond treatiſe upon the ſame ſubject, containing ſtill more extraordinary relations of cures brought about, by adminiſtring that plant; there is no doubt therefore, but that endeavours will be